



दून विश्वविद्यालय

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

DOON UNIVERSITY

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

7.1.7 The Institution has disabled-friendly, barrier free environment

C. Assistive technology and facilities for Divyangjan accessible website, screen reading software, mechanized equipment


**REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)**




दून विश्वविद्यालय

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

DOON UNIVERSITY

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

University Library Website

The Central Library website is Divyangjan accessible. By clicking at the  icon provided at the top right corner of the website, students and researchers can make use of various options provided like increase or decrease text, readable font etc to access the e resources on the website.




REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)

Moreover, Doon University Central Library has also purchased Kibo Inclusion Kit (Kibo XS device and Kibo Desk web application) for document digitization and conversion to audio format.

This kit enables the Library to provide a wider range of resources in audio format to persons with disabilities.


REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)



दून विश्वविद्यालय

मोथरोवाला रोड, केंदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

DOON UNIVERSITY

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.



Central Library, Doon University

Mothrowala Road, P.O. Defence Colony, Kedarpur, Dehradun-248012
Ph: 0135-2533126, E-mail: doonlibrary@gmail.com

To,
The Trestle Labs Pvt. Ltd.
IKP EDEN, 16 Bhuvanappa Layout,
Opp. Forum Mall,
Tavarekere Main Road
Bangalore, Karnataka-560029

Date: 12.6.2023

Subject: Purchase order for Kibo inclusion kit (KIBO XS device and Kibo Desk web applications)
Dear Sir,

With reference to your Quotation letter dated 4 April 2023 Ref No. TL-708 for providing the services of Kibo inclusion kit(KIBO XS device and Kibo Desk web applications) for digitization and translation of multilingual printed, hand written and digital content of Doon University, Dehradun, we are pleased to place an order to you for the supply of the following item.

Item	Description	Qty	Unit Price	Tax/Unit in Rs	Amount in Rs
Kibo Inclusion Kit	Kibo XS Device with One-year Warranty & Perpetual Software License	1	47,000	IGST (5%) 2350	49,350
	Kibo-50,000 Credits • Documents Digitization (OCR) • Documents Download • Documents Translation • Unlimited Cloud Storage • One-year validity	1	30,000	IGST (18%) 5,400	35,400
Total					84,750

Subscription Period: One Year from July 15, 2023 to July 15, 2024

Kindly send us a Tax Invoice for Kibo inclusion kit (KIBO XS device and Kibo Desk web applications).

Terms and Conditions:

- Complete Installation and operationalization of the software is the responsibility of the vendor. The period of subscription will be considered from the date of installation and its availability in the University.
- The vendor will organize online /offline seminar/ hands on training for the staff and users of the University for effective use of software.
- Support services must be provided during subscription of license to the university and in case the support services are not found satisfactory, appropriate action as deemed fit will be taken by the university.
- The data /content linked to the software by the users of the University will be the property of the University and the same will not be shared with any other person or entity without specific permission of the University.
- Any dispute arising out of the use/services of the university will be placed before the Vice Chancellor Doon University and His/Her decision will be binding on the Vendor.
- Any legal dispute will be subject to the legal jurisdiction of the local court at Dehradun.

University Librarian

CC : Registrar, Doon University, Dehradun
Finance Controller, Doon University, Dehradun

REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)



दून विश्वविद्यालय

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

DOON UNIVERSITY

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

The University Website has a font enlargement option provided at the toolbar at the top of the webpage.




**REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)**



दून विश्वविद्यालय

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

DOON UNIVERSITY

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

7.1.7 The Institution has disabled-friendly, barrier free environment

B. Divyangjan Friendly Washrooms


REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)



दून विश्वविद्यालय

DOON UNIVERSITY

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.




REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)



दून विश्वविद्यालय

DOON UNIVERSITY

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.



Dehradun, UT, India

Mothrowala, Dehradun, 248012, UT, India

Lat 30.268315, Long 78.044702

03/15/2023 07:22 PM GMT+05:30

Note : Captured by GPS Map Camera



REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)



दून विश्वविद्यालय

DOON UNIVERSITY

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.



Dehradun, UT, India

Mothrowala, Dehradun, 248012, UT, India

Lat 30.268244, Long 78.045714

03/15/2023 07:22 PM GMT+05:30

Note : Captured by GPS Map Camera


REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)




दून विश्वविद्यालय

DOON UNIVERSITY

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.



REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)



दून विश्वविद्यालय

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

DOON UNIVERSITY

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

**Production quality assurance certificate
for elevator hoisting machine**

Test system and machine parameter data

Factory IMX	Production line IMX	Tester system ID IMX_2	System SW version 1.2.0.376
Test data 10.12.2020	Test time 14.42	Operator ID Kamraj	Test result Passed!
Serial number 14883965	Machine type NMX07_680-112	Temperature 75,1 °C	
Nominal voltage 260,0 V	Nominal speed 112,3 RPM	Nominal current 9,9 A	Nominal frequency 37,40 Hz

Electrical measurement results


EMF voltage min: 251,4 V	EMF voltage: 260,0 V	EMF voltage max: 272,2 V	Thermistor: 34240 Ohm
Stator resistance min: 2,218 Ohm	Stator resistance: 2,569 Ohm	Stator resistance max: 2,822 Ohm	No load current: 0,2 A

Feedback sensor measurement result

Feedback device Encoder	Feedback result OK
----------------------------	-----------------------

Brake measurement result

Left brake torque: 638 Nm	Minimum brake torque: 400 Nm
Right brake torque: 678 Nm	


**REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)**

QD 00961

कार्यालय

सहायक विद्युत निरीक्षक उत्तराखण्ड शासन देहरादून जोन
लेन न० 6, एकता एन्कलेव, नत्थनपुर, पो० नेहरूग्राम, रिंग रोड देहरादून।

संख्या 648 नि०/स०वि०नि०/डी०डी०एन०/लिफ्ट/2023-24
सेवा में,

दिनांक 10-7-23

PROJECT MANAGER BRIDCUL
DEHRADUN.

विषय:- आपकी साईट स्कूल ऑफ मैनेजमेन्ट भवन दून यूनिवर्सिटी कैम्पस केदारपुरम देहरादून में अधिष्ठापित
लिफ्ट (01न०) का निरीक्षण एवं परीक्षण।


प्रसंग:- आपका चालान सं० 00430523E0040782 दि० 22-05-2023 रू० 450=00।

महोदय,

उपरोक्त आपकी साईट स्कूल ऑफ मैनेजमेन्ट भवन दून यूनिवर्सिटी कैम्पस केदारपुरम देहरादून में
अधिष्ठापित लिफ्ट (01 नं०) का निरीक्षण व परीक्षण दिनांक 07-07-2023 को अधोहस्ताक्षकर्ता द्वारा किया
गया। लिफ्टों का विवरण निम्न प्रकार है-

	लिफ्ट 01
मेक	KONE
सीरियल न०	45047161
भार/पैसेन्जर क्षमता	544 kg/08 Pas.

निरीक्षण के समय उक्त लिफ्ट (01 नं०) का विद्युतीय अधिष्ठापन केन्द्रीय विद्युत अधिनियम (विद्युत
सुरक्षा तथा आपूर्ति सम्बन्धी उपाय) विनियम 2010 के अन्तर्गत संतोषजनक पाया गया।


(निखिलेश दत्ता)

सहायक विद्युत निरीक्षक उत्तराखण्ड शासन
देहरादून जोन, देहरादून।

QUALITY CERTIFICATE
WuXi Universal Wire Rope CO., LTD

Production license: Without Coating
 Variety: Without Coating
 Construction: 6×19S+PP
 Diameter: 6 mm
 Type of lay: RHOL
 Scribble oil way: Strand greased

Standard: EN12385-4
 Rope No: 22A236 (1-32)
 Length: 2000 m
 Gross weight: 288 kg
 Net weight: 270 kg

THE TESTING RESULT OF WIRE

Manufacturing No: 22109

Nominal diameter of wire	outer wire diameter (mm)		inner wire diameter (mm)	
		0.49		0.27
(Mpa)Nominal tensile strength	1770		1770	
Test items	Max	Min	Max	Min
(N/mm ²) Tensile strength	1900	1858	2021	1906
Number of twists	/	/	/	/
(%)Ratio of knotting tension	62		61	60
(g/m ²)Mass of coating	/		/	
Breaking force of rope	22.9 (kN)			

WIRE ROPE DIAMETER AND ELONGATION RATE TEST REPORT

load-up condition	no load	5 % of the minimum breaking	10% of the minimum breaking
(mm) measured diameter	6.33	6.28	6.20
(%) tensile stretch	---	0.06	0.24

THE ELEMENTAL CONTENT OF THE RAW MATERIAL

Grade of steel	C (%)	Mn (%)	S (%)	P (%)	ST (%)	Notes
65#	0.62—0.70	0.50—0.80	≤0.035	≤0.035	0.17—0.37	

Inspector: 7 Experimenter: 10 Labortorian: 1 Test conclusion: Conformity
 Manufacturing date: 2022.11.25



BHARAT WIRE ROPES LTD.

Registered Office & Factory: Plot No.4, MIDC, Chalisgaon Industrial Area, Village - Khadki, Taluka - Chalisgaon, District - Jalgaon - 424101, Maharashtra, India

Doc-BWRL/CG/QA/R/25



MANUFACTURER

M/S BHARAT WIRE ROPES LTD. CHALISGAON

No. D-W/A-279

TEST CERTIFICATE

Date: 26.01.2023


Customer	Rikun Manufacturing Private Limited				
Customer Order Ref.	4377 & 4378, DATE: 30-Dec-2022				
Work Order No.	RLROSO/2223/09703, DATE: 07-Jan-2023				
Reel Number	08WA013 TO 08WA020				
SPECIFICATION					
Applied Standard	KOS000040 (KONE SPEC.)				
Nominal Diameter of Rope	8 MM	Part No.- KM51518419			
Construction	8X19S				
Strand Construction	9-9-1				
Tensile Grade of Steel Wire Rope	1570 N/mm ²				
Wire Finish	Ungalvanized				
Types of Core	SISAL				
Type of Lay & Direction	RHO				
Length of Rope	2000 Mtr. X 08 REEL				
Lubrication	A1				
Strand Lubrication Contain	1.10% To 1.50%				
Min Breaking Force	29.1 kN				
Pre Stretching	N/A				
RESULTS OF TEST & EXAMINATION					
S.No.	Reel No.	Dia (mm) off Tension	Lay Length (mm) off tension	Actual Breaking Load (kN)	Strand Lubrication (%)
1	08WA013	8.10	53	31.4	38.9
2	08WA014	8.10	53	31.4	38.9
3	08WA015	8.10	53	31.4	38.9
4	08WA016	8.10	53	31.4	38.9
5	08WA017	8.10	53	31.4	38.9
6	08WA018	8.10	53	31.4	38.9
7	08WA019	8.10	53	31.4	38.9
8	08WA020	8.10	53	31.4	38.9

This is to Certify that the above tests have been carried out in accordance with the Specifications.

For.BHARAT WIRE ROPES LTD


Checked By


Authorised signatory



Corporate Office: A - 701, Trade World Building, Kamaia Mills Compound, SB Marg, Lower Parel (W), Mumbai - 400013, Maharashtra, India. Tel: +91 22 66824600

• Website: www.bharatwireropes.com • E-mail: mtccg@bharatwireropes.com • CIN : L27200MH1986PLC040468

CONTROLLER TEST REPORT



Customer :		Date - Time: 10-03-2023 16:37	
JOB DETAILS			
Sale Order No	350639071	Drive	-
KEN No	45047161	Speed	-
Controller Part No	KM51073075V002	Door Type	AMD
		CPU - EPROM	GG10.0.2
Controller Serial No	IMS 23030345-	Options	FRD / LWD
Machine Type	-	Floors	-
Group Size	-	No.In Group	-
OBSERVATIONS			
PHYSICAL CKECK		POWER SUPPLY CHECK	
Layout Check	OK	Transformer I/P Voltage (3Ph AC)	410 V
Wiring Check	OK	Transformer O/P Voltage	230 V
Crimping Check	OK	24VDC	24 VDC
PARAMETER SETTING			
Drive Parameter Set	Done		
GGCPU Parameter set	Done		
LOGIC TEST			
Inspection Drive Check	OK	Using test kit Car top Inspection Box	
Rescue Drive Check	OK	Using RDF up & Down Switches	
Setup Drive	OK	Using Parameter 5.2.1 For I MONO	
Safety Check	OK	Safety Jumpers Removed and Tested	
Car Call Check	OK	Using Test Kit COP	
Landing Call Check	OK	Using Test Kit LPB's	
Position Indication / LWD	OK	Using LWD Kit	
FRD Functional Test	OK	Using Test kit FRD switch	
Door Commands	OK	Using test kit AMD DOOR Module	
Car top Box	OK	Using Cartop Inspection Box	
CTQ - Transformer 0/230VAC Secondary to be Earthed	OK	Check 230 VAC B/W Earth to Neutral	
Number of Slots Run	Conformed	Above 32 Slots	
AmonoSpace		SERIAL NUMBER DETAILS	
GG CPU	KM51086213G03.008BQ22520221	DRIVE	-
GG ADO	-	BREAKING RESISTOR	-
GG SIB	-	-	-
Remarks:	2KV TEST for 60 Sec withstood. Insulation value before and After HV is above 500MΩ		

QR-000416

Tested By :

SR SHIVAKUMARVARSHAN

Checked By:

M.UMAPATHY





Production quality assurance certificate for elevator hoisting machine

22007425

Test system and machine parameter data

Factory IMX	Production line Line 1	Tester system ID IMX_1	System SW version 1.17
Test date 20.03.2023	Test time 10.42	Operator ID Sankar P R	Test result Passed!
Serial number 22007425	Machine type NMX05_480-119	Temperature 26,0 °C	
Nominal voltage 181,0 V	Nominal speed 119,4 RPM	Nominal current 10,0 A	Nominal frequency 29,80 Hz

Electrical measurement results

EMF voltage min: 175,0 V	EMF voltage: 186,5 V	EMF voltage max: 189,5 V	Thermistor: 30912 Ohm
Stator resistance min: 1,962 Ohm	Stator resistance: 2,293 Ohm	Stator resistance max: 2,498 Ohm	No load current: 0,2 A

Feedback sensor measurement result

Feedback device Encoder	Feedback result OK
-----------------------------------	------------------------------

Brake measurement result

Left brake torque: 576 Nm	Minimum brake torque: 345 Nm
Right brake torque: 594 Nm	



NAME OF WORK :- CONSTRUCTION OF SCHOOL OF MANAGEMENT AT DOON UNIVERSITY,
DEHRADUN ,UTTARAKHAND.

LIFT 8 passenger

S.N.	NSI	Description	QTY	UNIT	Rate	Total Amount
		(NON SCHEDULED/EXTRA ITEMS)				0.00
1	NS	Supply & Installation of 10 W LED surface mounted decorative bulk head fitting approved by Engineer in charge with making connection complete in all respect	4.00	Nos	1417.00	5668.00
2	NS	Supply, Installation, Testining and Commissioning of 8 Passengers not less than 544 kg Elevator (Lift) G+2, 3 steps ,Opening SS finish with SS mirror finish centre panel and all corners in SS finish, centre opening Doors , with SH 300 COP and SH 250 COP controls lift with gear less and machine room less , (Gearless) SS Finished Cabins, Microprocessor Based VVVF drive , 1Mts/ sec. speed, Automatic doors , with ARD Panel , etc. Complete in , fire main switch and emergency Alarm, SH 110 Control Panel and ARD With cabling LED Light on ceiling complete in all respect.	1	Nos	2001280.00	2001280.00
		Total (B)				2006948.00
		G.Total				20.07



दून विश्वविद्यालय

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

DOON UNIVERSITY

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

7.1.7 The Institution has disabled-friendly, barrier free environment

Provision for enquiry and information : Human assistance, reader, scribe, soft copies of reading material, screen reading, font enlargement etc.


**REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)**



दून विश्वविद्यालय

DOON UNIVERSITY

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

Provision for human assistance in the form of scribe exists for students with disability. The students must obtain permission from the Exam Section and the Registrar Office and furnish a medical certificate which proves that they are unable to write the exam due to their disability or accident and require assistance. Such students are also provided extra 40 minutes to finish writing the exam with the help of scribe.

October 10, 2022

To
Head of Department
School of Management

Subject - Request for providing scribe for writing examination

Sir,

I, Shauya Singh, am a student of B.Com. I am dyslexic (learning disability related to reading and writing). I would like to request you to kindly make arrangement of a separate room and a scribe for writing examinations. I would be requiring this facility for all the examinations of B.Com course. I am attaching herewith all the documents related to disability. Also extra time will be required as per rules 40 mins per 2hrs. and 60 mins for 3hrs exam.

Thanking you

Yours sincerely
Shauya Singh
B.Com Sem-1
Mobile No- 9354184122

Forwarded to Registrar
scribe may kindly be
appointed.
10/10/2022

Attested
Coordinator Exam
Head SOA
10/10/2022


REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)



दून विश्वविद्यालय

DOON UNIVERSITY

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेंस कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत


Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

OFFICE OF THE CHIEF MEDICAL OFFICER, DEHRADUN
FORM OF MEDICAL CERTIFICATE FOR PERSONS WITH DISABILITIES (PWD)

Certificate No. C.M.O./M-2/1/PD/2022/22573/24 Date: 22/09/2022

DISABILITY CERTIFICATE Age: 17y

This is to certify that Smt/Shri/Kum Shaurya Singh
Son/daughter of Shri Kamwar Ajay Singh
Address B-104 Doon Trafalgar, Dehradun, Khas
is suffering from permanent disability of following category: near I.T Park, Dehradun


SHAURYA SINGH

Dr. REKHA RAWAT
Psychiatrist
Regd. MC-UK 3960

Specific Learning Disorder (Dyslexia, Dysgraphia, Dyscalculia) Disability is 50% (Fifty) %

1. This condition is progressive/non-progressive/likely to improve/ not likely to improve. Re-assessment of this case is not recommended/ recommended after a period of 3 (Three) months. Dr. REKHA RAWAT Psychiatrist Regd. MC-UK 3960

2. Percentage of disability in his/ her case is 50 (Fifty) Percent

3. Smt./Shri/Kum Shaurya Singh meets the following physical requirement for discharge of his/her duties:

(i) F - can perform work by manipulating with fingers.	Yes/No
(ii) PP- can perform work by pulling and pushing.	Yes/No
(iii) L - can perform work by lifting.	Yes/No
(iv) KC- can perform work by kneeling and crouching.	Yes/No
(v) B - can perform work by bending.	Yes/No
(vi) S - can perform work by sitting.	Yes/No
(vii) ST- can perform work by standing.	Yes/No
(viii) W - can perform work by walking.	Yes/No
(ix) SE- can perform work by seeing.	Yes/No
(x) H - can perform work by hearing/speaking.	Yes/No
(xi) RW- can perform work by reading and writing.	Yes/No

(Signature of Doctor) Priyanka Gairola
Name: MS, DNB (ENT), 1115
Registration No. 2 D.O.U. Govt Hospital
Member, Medical Board Dehradun

(Signature of Doctor) REKHA RAWAT
Name: Psychiatrist
Registration No. Regd. MC-UK 3960
Member/Chairperson, Medical Board

* Please delete the words which are not applicable. UKMC Reg. No-3575

Place: Dehradun
Date: 22/09/2022
Counter Signature of the Medical Superintendent/CMO/
Head of Hospital (with seal)

**CHIEF MEDICAL OFFICER
DEHRADUN**

Note :- (i) According to the Persons with Disabilities (Equal Opportunities, Protection of Rights and Full participation) Rules, 1996 notified on 31.12.1995 by the Central Government in exercise of the powers conferred by sub-section (1) and (2) of Section 73 of the Persons with Disabilities (Equal Opportunities, Protection of Rights and Full Participation) Act, 1995 (1 of 1996), authorities to give disability Certificate will be a Medical Board duly constituted by the Central or the State Government. The State Government may constitute a Medical Board consisting of at least three members out of whom at least one shall be a specialist in the particular field for assessing locomotor/hearing and speech disability, mental retardation and leprosy cured, as the case may be. (ii) The certificate would be valid for a period of 5 years for those whose disability is temporary. For those who acquired permanent disability, the validity can be shown as "Permanent".


**REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)**



दून विश्वविद्यालय

DOON UNIVERSITY

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

**CERTIFICATE REGARDING PHYSICAL LIMITATION IN AN
EXAMINEE TO WRITE EXAMINATION**

This is to certify that, I have examined Mr. Shaurya Singh, a person with Dyslexia, Dysgraphia and Dyscalculia with 50% disability S/O Dr. Kanwar Ajay Singh a student of Delhi Public School, Kalagaon Dehradun and to state that he has physical limitation which hampers his reading and writing capabilities owing to his disability.

He

डॉ० सुनील जेठवाणी
Signature

मुख्य चिकित्सा अधिकारी
देहरादून

Chief Medical Officer / Civil Surgeon / Medical Superintendent of a
Government Health Care Institution



Name and Designation

Name of Government Hospital / Health Care Centre with Seal

Place Dehradun
Date 27/09/2021

REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)



दून विश्वविद्यालय

DOON UNIVERSITY

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

NIEPVD, Dehradun
Client Name: Mr. Shaurya Singh
Client ID: NIEPVD/C&RP/OPD/485/453/07/08/2019
Date: 01/09/2021
Clinical Psychologist: Dr. Surender Dhalwal

Strictly Confidential
Access limited to the Client only

**DEPARTMENT OF CLINICAL & REHABILITATION PSYCHOLOGY
NATIONAL INSTITUTE FOR THE EMPOWERMENT OF PERSONS WITH
VISUAL DISABILITIES
116-RAJPUR ROAD, DEHRADUN-248001**

Clinical Psychologist's Credentials

Institution Type:	Rehabilitation & Mental Health Care	Test Setting:	Clinic office
Examiner Name:	S.K.Dhalwal	Institution ID:	NIEPVD
Examiner ID:	RCI CRR A05731	Examiner Gender:	Male
		Examiner Qualification:	M.Phil Clinical Psychology(from CIP).
Contact No. of	9412053116	Clinical Psychologist:	dhalwalsk@gmail.com

Client's Credentials

Name:	Shaurya Singh	Age/ DOB	02/08/2004
Gender:	Male	Education :	12 th standard
Marital Status:	Unmarried	Father/Mother/Spo use name:	Mr. Kanwar Ajay Singh
Address	B-104, Doon Trafalgar, Dhorankhas, IT Park Road, Dehradun		
Adhar No.	649931636363		
Contact No. of Client	9871208405		
E-Mail ID:	Reemasingh8572@gmail.com		
Referred by:	Doon Psychotherapeutic Center, Dehradun		
Referral Note/ Purpose	Psychological Assessment		

Informant Reported Symptoms

Relative	
Sr.No.	Chief Complaints
1	Difficulty in Reading & Writing
2	Difficulty in Learning
3	Adjustment problem with peer group
4	Difficulty in Calculation

(Signature)
(Surender Dhalwal)
Assistant Professor of Clinical Psychology
HOD, Department of Clinical & Rehabilitation Psychology
(Dr. Surender Kumar Dhalwal)
Assistant Professor and HOD
Department of Clinical Psychology
NIEPVD (M.S./J.E Govt. of India)
116-Rajpur Road, Dehradun, Uttarakhand-248001
RCI CRR No. A05731

(Signature)
**REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)**



दून विश्वविद्यालय

DOON UNIVERSITY

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

There is a wheelchair at the University Dispensary which is immediately made available in case of emergency or when a person with disability visits the campus.



Soft copies of reading material are also available to the students if they have difficulty in reading printed material.


REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)



दून विश्वविद्यालय

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

DOON UNIVERSITY

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

Report on Medicinal Plants Plantation Drive at Doon University



दून विश्वविद्यालय

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

DOON UNIVERSITY

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

Date: January 04, 2021

Location: Doon University

Introduction

On 04/01/2021, a commendable initiative took place at Doon University, demonstrating a proactive approach towards environmental conservation and healthcare. The Medicinal Plants Plantation Drive, spearheaded by Dr. Suneet Naithani, Mr. Narendra Lal, and Harish Chandra Andola, aimed to enhance the biodiversity of the campus while promoting the cultivation of various medicinal plants.

Survey and Preparations

A significant area of 100×80 square meters within the campus was surveyed for the plantation drive. Additionally, some much-needed maintenance work was undertaken near the boys' hostel, including the painting of walls and minor repairs, to ensure a conducive environment for plant growth.

Plantation

In a dedicated area covering approximately 10 square meters, a diverse range of medicinal plants were carefully planted. This plantation effort saw the establishment of approximately 100 medicinal plants of various species, including Harar, Baheda, Anwala, Arjun, Neem, and Kapur. Each of these plants holds significant medicinal value and contributes to the rich biodiversity of the campus.

Spacing between the trees was meticulously maintained, with approximately 3 feet of gap between each plant. This ensured proper growth and allowed for effective maintenance and care. Adequate spacing is crucial for allowing plants to grow and develop without competing for resources.

Benefits

The Medicinal Plants Plantation Drive at Doon University holds several benefits:



दून विश्वविद्यालय

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

DOON UNIVERSITY

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

1. **Promoting Medicinal Plant Cultivation:** This initiative promotes the cultivation of medicinal plants within the campus, creating a valuable resource for both academic research and healthcare needs.
2. **Biodiversity Enhancement:** The introduction of these medicinal plants contributes to the overall biodiversity of the campus, which can have positive ecological impacts.
3. **Aesthetic Enhancement:** The planting of these trees also improves the visual appeal of the campus, making it more pleasant for students and visitors.
4. **Health and Wellness:** Having a variety of medicinal plants on campus provides easy access to natural remedies for common health issues.
5. **Educational Opportunities:** Students and researchers at Doon University can now study these plants up close, gaining valuable insights into their properties and uses.

Conclusion

The Medicinal Plants Plantation Drive at Doon University, led by Dr. Suneet Naithani, Mr. Narendra Lal, and Harish Chandra Andola, represents a commendable effort towards sustainable environmental practices and healthcare promotion. By introducing a variety of medicinal plants within the campus, this initiative not only enhances the university's biodiversity but also serves as a valuable educational and wellness resource. Such endeavors set an inspiring example for other institutions and communities to follow in their quest for a greener and healthier future.



दून विश्वविद्यालय

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

DOON UNIVERSITY

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

DOON UNIVERSITY

7.1.7- The Institution has friendly, barrier free environment

**Built environment with ramps/lifts for easy access to
classrooms.**

**REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)**



दून विश्वविद्यालय


मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

DOON UNIVERSITY

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

All buildings on Doon University campus have ramps right at the entrance.

All Lecture Hall Buildings and University Guest House are provided with lift facility.



Ramp in Lecture Hall Complex


**REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)**



दून विश्वविद्यालय

DOON UNIVERSITY

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.



Dehradun, UT, India

Mothrowala, Dehradun, 248012, UT, India

Lat 30.268704, Long 78.043938

03/15/2023 07:31 PM GMT+05:30

Note : Captured by GPS Map Camera



REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)




दून विश्वविद्यालय

DOON UNIVERSITY

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

Ramp in Dr Nityanand Himalayan Research and Study Centre Building



Lifts in Dr Nityanand Himalayan Research and Study Centre Building


REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)




दून विश्वविद्यालय

DOON UNIVERSITY

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.



Lift in Lecture Hall Complex


REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)



दून विश्वविद्यालय

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

DOON UNIVERSITY

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.

7.1.7 The Institution has disabled-friendly, barrier free environment

Signage Boards:

Signage boards are displayed on all the buildings of the University to signal Wheelchair Access and provide ease of access to every individual.


REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)



दून विश्वविद्यालय

DOON UNIVERSITY

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.



REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)




दून विश्वविद्यालय

DOON UNIVERSITY

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.



Signage Board outside School of Management


REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)




दून विश्वविद्यालय

DOON UNIVERSITY

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.



Signage board outside Faculty Office Building


REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)




दून विश्वविद्यालय

DOON UNIVERSITY

मोथरोवाला रोड, केदारपुर, पो०ओ० डिफेन्स कालोनी,
देहरादून-248012 (उत्तराखण्ड) भारत

Mothrowala Road Kedarpur, P.O. Defence Colony,
Dehradun-248012 (Uttarakhand) INDIA.



Signage Board outside Administrative Building


REGISTRAR
DOON UNIVERSITY
DEHRADUN (INDIA)